



LED PRO

# Make your boundaries Stand Out

## LED SURFACE-MOUNTED LUMINAIRE (WALL) SERIES

### PRODUCT INFORMATION

- Surface mounted, exterior-rated and compact sized architectural LED edge lighting luminaire that is designed for façade and outdoor decorative lighting applications.
- Ideal for edges lighting on windows and doors inner frames, building façades, landmarks and monuments.
- ILLUS LED SURFACE-MOUNTED Luminaire (WALL) gives the customer the flexibility to choose between 7 models based on their specific need with lumen package from 20 lm to 196 lm.

### BENEFITS

- Unique optical distribution to highlight the inner frames or outer edges of windows, balconies or doors.
- Compact size.
- Light weight.

### FEATURES

- High CRI>80.
- Operating voltage AC220-240V.
- Non - dimmable.



**BEYOND LIGHT..  
TO THE LAST DETAILS!**

## AREAS OF APPLICATION



Industrial



Shopping Center



Garden



Commercial



Educational Center




## TECHNICAL OPERATING & ELECTRICAL DATA

Body Color	Shiny Black
Body Material	Aluminum+PC
Frame Color	Shiny Black
Frame Material	Aluminum
IP Rating	IP54
Voltage	AC220-240V
Frequency	50/60Hz
Mounting Type	Surface Mounted
Beam Angle	6.5°*180°
Dimming	Non Dimmable
Fixed or Adjustable	Fixed
Life Span	50000hrs

## SPECIFICATIONS

Code No.	Model No.	Power	Lumen	Efficacy	CCT
613225	ILS8.5SMOWL01	8.5W	108lm	13lm/w	3000K
613226	ILS8.5SMOWL02	8.5W	196lm	23lm/w	5700K
613227	ILS8.5SMOWL03	8.5W	41lm	5lm/w	Red
613228	ILS8.5SMOWL04	8.5W	46lm	5lm/w	Green
613229	ILS8.5SMOWL05	8.5W	20lm	2lm/w	Blue
613230	ILS8.5SMOWL06	8.5W	38lm	4lm/w	Purple
613231	ILS8.5SMOWL07	8.5W	161lm	19lm/w	Yellow

## **I** DIMENSIONS



---

613225 - 613226 - 613227 - 613228 - 613229 - 613230 - 613231



This image is for display purpose only, the image may differ from the actual product, as the product is subject to modification provided without prior notice.

## **LED SURFACE-MOUNTED LUMINAIRE (WALL) SERIES**

**BEYOND LIGHT..  
TO THE LAST DETAILS!**

