



# Power your outdoor lighting by solar energy

## LED SOLAR SURFACE-MOUNTED LUMINAIRE (WALL)

### PRODUCT INFORMATION

- Ideal solution for municipalities who seek to meet their sustainability goals.
- Compact luminaire using high-quality materials is easy to dismantle and recycle at the end of its lifetime.
- ILLUS LED SOLAR SURFACE MOUNTED Luminaire (wall) gives the customer the flexibility to choose between 2 models based on their specific need with lumen package from 250 lm to 350 lm.

### BENEFITS

- Brings light to areas without access to electric grid.
- Saves energy.
- Environment friendly.

### FEATURES

- High CRI>80.
- Efficacy up to 78 lm/w.
- Long life span 35,000 hrs.

## AREAS OF APPLICATION



Industrial



Shopping Center



Garden



Commercial



Educational Center




## TECHNICAL OPERATING & ELECTRICAL DATA

IP Rating	IP65
CRI	80
Body Color	Black
Body Material	Aluminum+PC
Voltage	5V
Mounting Type	Wall Mounted
Ambient Temperature	-20°C~40°C
Dimmable or Not	Non
Directional or Non Directional	Non Directional
Fixed or Adjustable	Fixed
Life Span	35000hrs

## SPECIFICATIONS

Code No.	Model No.	Power	Lumen	CCT	Beam Angle
614214	ILS4.5WSOWML3040B01	4.5W	350lm	3000K-4000K	120°
614215	ILS4.5WSOWML3040B02	4.5W	250lm	3000K-4000K	180°

## DIMENSIONS




614214

614215

## ACCESSORY

Code No.	Model No.	Body Color	Body Material	Fixed or Adjustable
614217	ILS74TUBS001	black	aluminum+PC	Fixed

## ACCESSORY DIMENSIONS



614217 - Tube



**LED SOLAR  
SURFACE-MOUNTED  
LUMINAIRE (WALL)**

**BEYOND LIGHT..  
TO THE LAST DETAILS!**

